

DOI 10.17590/20201105-124936

## **Dry ice: carbon dioxide poisoning is possible**



BfR Opinion No. 047/2020 issued 7 October 2020

Alongside its long-lasting cooling properties, which are utilised for the storage, shipping and transportation of fresh and frozen goods, commercially available dry ice is also used to create fog effects at events such as private parties or concerts. The German Federal Institute for Risk Assessment (BfR) is publishing this Opinion on the health risks of dry ice to consumers.

Cases of poisoning with dry ice occur worldwide, and have been reported in countries such as Germany, Japan, Thailand, Switzerland and the United States. Accidents involving the handling of dry ice also include cases of frostbite or damage caused by the explosion of freight containers. This BfR Opinion focuses on the risk of poisoning.

The term 'dry ice' refers to solid carbon dioxide (CO<sub>2</sub>) cooled to at least -78.5 °C. At room temperature, dry ice turns into gaseous CO<sub>2</sub> by sublimation. This is accompanied by a strong increase in pressure with a risk of explosion in airtight containers. The gaseous CO<sub>2</sub> released by dry ice can cause suffocation. This is because the CO<sub>2</sub> displaces the oxygen in the air, such as in rooms with inadequate ventilation or during transport in vehicles. As a result, the oxygen content of inhaled air is reduced. At the same time, the uptake of oxygen into red blood cells is also reduced in the lungs. High concentrations of CO<sub>2</sub> in inhaled air can lead to an insufficient supply of oxygen in the brain or bodily tissue. From simple headaches, symptoms at levels exceeding about 2 percent CO<sub>2</sub> can include perspiration, shortness of breath, palpitations, respiratory distress, fainting, visual disturbances, tremors and impaired consciousness. At concentrations above 5 percent in inhaled air, CO<sub>2</sub> has a narcotic effect. Once the level of CO<sub>2</sub> exceeds about 8–10 percent, unconsciousness and death by suffocation can occur in a matter of minutes.

The risk of dry ice poisoning increases in proportion to the quantity of dry ice used, the size of the room and ventilation. As a general rule, dry ice should be stored and transported only in appropriate, well-insulated containers. These containers must not be airtight (danger of explosion). In enclosed spaces and vehicles, adequate ventilation must always be ensured during transportation, storage and use.

|  |  | <b>BfR risk profile:</b><br>Dry ice: carbon dioxide poisoning is possible<br>(Opinion no. 047/2020) |   |  |         |
|---|--|---|---|--|---------|
| <b>A</b> Affected persons   | General population  |   |   |  |         |
| <b>B</b> Probability of an impairment to health from handling dry ice             | Practically impossible   | Unlikely  | <b>Possible</b>   | Likely   | Certain |
| <b>C</b> Severity of the impairment to health from handling dry ice               | No impairment  | <b>Mild impairment</b>  | <b>Moderate impairment</b>  | <b>Severe impairment (irreversible)</b>                                    |         |
| <b>D</b> Validity of available data   | <b>High:</b><br>The most important data are available and are internally consistent                    |   | <b>Medium:</b><br>Some important data are missing or inconsistent | <b>Low:</b><br>A large volume of important data is missing or inconsistent |         |
| <b>E</b> Controllability by the consumer [1]                                      | Control not necessary  | <b>Controllable with precautionary measures</b>   | <b>Controllable by avoidance</b>                                  | Not controllable   |         |

Fields with a dark blue background indicate the properties of the risk assessed in this opinion (for more details, see the text of Opinion no. 047/2020 from the BfR dated 7 October 2020).

**Explanations**

The risk profile is intended to visualise the risk outlined in the BfR Opinion. The profile is not intended to be used to compare risks. The risk profile should only be read in conjunction with the corresponding Opinion.

**[1] – Row E – Controllability by the consumer**

Details given in the row ‘Controllability by the consumer’ are merely descriptive and not to be understood as a recommendation by the BfR.

**1 Subject of the assessment**

The German Federal Institute for Risk Assessment (BfR) is issuing this Opinion on poisoning in the context of the use of dry ice from the perspective of consumer health protection. Health risks associated with the handling of dry ice include carbon dioxide poisoning, frostbite or damage caused by the explosion of the packaging used to hold the dry ice. This BfR Opinion focuses on the risk of carbon dioxide poisoning that arises when consumers are involved in handling dry ice.

A case involving at least three deaths and other casualties in connection with a birthday party held in a Moscow steam sauna has been reported on recently in the media. At this event, 25 kg of dry ice was added to a pool containing warm water in order to create bubble and fog effects. Carbon dioxide gas was rapidly released, leading to symptoms of suffocation and the deaths of several guests.

A search of the published scientific literature and other publications available online revealed only a few known cases of poisoning with dry ice for the period from 2013 to 2019.

In general, incidents involving (short-term) exposure to dry ice can be assigned to one of three groups:

- (1) Acute poisoning by inhalation, including death resulting from suffocation by inhaling very high concentrations of CO<sub>2</sub> in inadequately ventilated spaces or motor vehicles. Reports here include work-related accidents and accidents suffered by private consumers.
- (2) Frostbite (corrosive tissue damage) affecting the skin and mucous membranes of the upper digestive tract, resulting from direct dermal or (more rarely) oral contact with dry ice. Reports here include work-related accidents, accidents suffered by private consumers and cases of misuse.
- (3) Injuries suffered from fragments of bursting containers, resulting from the explosion of gas-tight vessels used to hold dry ice ('dry ice bombs'). Reports here include work-related accidents, cases of misuse, accidents suffered by private consumers and criminal activities.

#### Possible sources of danger

The use of dry ice can lead to cases of poisoning from carbon dioxide (CO<sub>2</sub>), since dry ice sublimates to gaseous CO<sub>2</sub>. Known fatalities caused by CO<sub>2</sub> typically result from an acute toxic effect by inhalation in enclosed spaces. The BfR is not aware of any incidents of fatal injuries caused by 'dry ice bombs' or frostbite caused by the chilling effects of dry ice.

Long-term (chronic) exposure to elevated concentrations of CO<sub>2</sub> from the use of dry ice can have effects on bone metabolism [1]; such effects include the accumulation of carbonate in the bone matrix [2-4]. Potential risks to health caused by chronic exposure to elevated levels of CO<sub>2</sub> resulting from consumer use of dry ice are considered less relevant because of the assumption that consumers do not handle dry ice on a daily basis.

The following potential sources of accidents when handling dry ice constitute the primary risks for dry ice poisoning (after [5]):

1. Storage of large quantities
2. Storing and using dry ice in small, unventilated spaces
3. Transporting dry ice in passenger compartments
4. Storing dry ice in gas-tight containers (danger of explosion)
5. Failing to wear appropriate personal protective equipment

From reports in the press and research articles, it is clear that cases of poisoning involving dry ice and carbon dioxide occur worldwide. Alongside Germany, cases have also been reported in Japan, Thailand, Switzerland and the United States. For the USA, for example, the number of fatalities caused by carbon dioxide poisoning (this figure also includes fatalities caused by dry ice) is reported as a constant figure of roughly 90 cases (accidents at work) annually for the period from the 1980s to 2015 [6].

**Table 1: Fatalities following the inhalation of elevated concentrations of CO<sub>2</sub> in conjunction with the use of dry ice. Results from open-access literature and an online search (illustrative, not representative).**

| Period       | No. of fatalities   |
|--------------|---|
| 2013 to 2019 | 5 deaths associated with dry ice in Germany [7-9]   |
| 2013 to 2019 | 4 deaths associated with dry ice (Switzerland, USA) [10-13]   |
| 2000 to 2011 | 21 deaths associated with CO <sub>2</sub> (USA), with specific circumstances for each individual case [14]. |
| 1994 to 2012 | 9 deaths associated with dry ice in other countries [5, 10, 15-20]  |

Reports of non-fatal cases of poisoning have also been published, as well as accidents involving 'dry ice bombs' and cases of frostbite.

For the period 2013 to 2019, two cases were reported to the BfR concerning dry ice in accordance with section 16e of the German Chemicals Act:

- Case 1: 2017; professional use; 1 adult; dry ice vapours in an aircraft; mild symptoms: red-ening of eyes, dry cough, retrosternal burning sensation, clinical examination was unremarkable
- Case 2: 2018; professional use; 1 adult; transportation of dry ice in a car; mild symptoms: dizziness, clinical and medical equipment based examination was unremarkable (incl. blood gas analysis and X-ray examination of thorax)

In 2019, a request made to the German Poisons Information Service yielded 53 case reports involving a total of 61 persons for the period from 2013 to 2019. In 31 of these 53 cases, the usage was by private citizens. In these cases involving non-professional exposure, one fatal case, one serious case and two moderately serious cases (but partly with mixed intoxication (e.g. by party drugs) were documented. All other cases in the consumer segment involved mild symptoms or an asymptomatic case history.

## 2 Hazard characterisation

Accidents involving dry ice can be harmful to health and can also be fatal in extreme cases. The corresponding fatal cases have been caused by the sublimation of dry ice into gaseous CO<sub>2</sub> [5, 6, 10, 15, 21, 22]. Fatal incidents caused by dry ice must be viewed in the context of the toxicity by inhalation of gaseous CO<sub>2</sub>.

The gaseous CO<sub>2</sub> released by dry ice displaces oxygen and therefore decreases the partial pressure of oxygen in inhaled air. In addition, CO<sub>2</sub> acts as a respiratory poison or agent of suffocation: As the concentration of gaseous CO<sub>2</sub> in inhaled air rises, it becomes harder to exhale the CO<sub>2</sub> produced in the body via the lungs, while the uptake of oxygen into the red blood cells is simultaneously reduced. As a result, an elevated level of CO<sub>2</sub> in inhaled air results in less oxygen being carried by red blood cells and can therefore cause suffocation even if the partial pressure of oxygen in inhaled air is indeed adequate.

Depending on the concentration of CO<sub>2</sub> in inhaled air and the duration of exposure, the consequences of acute CO<sub>2</sub> poisoning range from mild symptoms to a loss of consciousness or even death (see also Table 3). At less than 2 percent, no acute symptoms of poisoning other than a headache are to be expected. As the concentration of CO<sub>2</sub> in air increases, CO<sub>2</sub> levels rise in the blood: a resulting respiratory acidosis then leads to an activation of the respiratory centre, an increase in breathing frequency (tachypnea) and a rapid pulse. As CO<sub>2</sub> levels in

inhaled air continue to rise, symptoms such as dizziness, nausea, perceptual disorders, tinnitus, etc. are the first signs of a reduced oxygen supply the brain. At 5 percent, CO<sub>2</sub> has a narcotic effect and seizures or ECG changes can occur. From about 8–10 percent, CO<sub>2</sub> causes unconsciousness and can already be lethal. From about 20–30 percent, death can result in just a few minutes.

The severity of symptoms depends on CO<sub>2</sub> concentration and exposure time, while the individual's age and constitution will also determine the effects of CO<sub>2</sub> on a case-by-case basis [23]. These individual differences should be accounted for when assessing the poisoning risk and in relation to drawing conclusions about the handling of dry ice. The recovery of one individual after a severe case of CO<sub>2</sub> poisoning involving the virtually complete saturation of room air with CO<sub>2</sub> has been reported (accident at work with liquid CO<sub>2</sub> [21]). One should note, however, that the lack of oxygen can trigger the occurrence of brain damage that may prove to be permanent.

For private consumers, temporary exposure to high concentrations of CO<sub>2</sub> from ≥10 percent by volume in inadequately ventilated spaces—such as vehicle interiors, basements or storage areas—is considered to be a potential cause of death. For accident-related deaths, short exposure times (of a few minutes) are presumed. An associated risk frequently arises in relation to the incorrect handling of dry ice together with a lack of information about safety or proper use. In the accident-related circumstances mentioned above, private consumers are at risk of suffocation when handling dry ice.

### Exposure

The two tables below present the known effects on health from elevated concentrations of CO<sub>2</sub> in inhaled air as well as the standard values, guidance values and exposure limit values for CO<sub>2</sub> in inhaled air and in indoor air.

**Table 2: Standard values, guidance values, exposure limit values and values for the acute toxicity of CO<sub>2</sub> by inhalation. Dose-dependent and time-based effects of elevated CO<sub>2</sub> concentrations in humans.**

| Standard values, guidance values and exposure limit values for CO <sub>2</sub> |               |  |
|--|---------------|--|
| CO <sub>2</sub> conc. in inhaled air [% vol.]                                  | Exposure time | Effect/result  |
| 0.04   | ---           | <ul style="list-style-type: none"> <li>Standard value for inhaled air [6, 7]</li> </ul>  |
| 0.1  | ---           | <ul style="list-style-type: none"> <li>Upper limit value for indoor air, accounts for elevated CO<sub>2</sub> concentration with simultaneous lower/decreasing concentration of O<sub>2</sub> in indoor air [4]</li> </ul> |
| 0.14   | ---           | <ul style="list-style-type: none"> <li>Value used to classify indoor air as having a low air quality (DIN 2007-09) [1]</li> </ul>  |
| 0.5  | 8 h twa       | <ul style="list-style-type: none"> <li>Maximal admissible concentration (MAK value), does not apply to artificially ventilated rooms [4]</li> </ul>  |

twa = time-weighted average, MAK = maximal admissible concentration

Table 3: Dose-dependent and duration-related effects of elevated CO<sub>2</sub> concentrations in humans.

| Dose-dependent and duration-related effects of elevated CO <sub>2</sub> concentrations in humans |               |   |
|--|---------------|---|
| CO <sub>2</sub> conc. in inhaled air [% vol.]  | Exposure time | Effect/result   |
| ≥0.1   | n.d.          | • Tension in head, headache [2]   |
| ≤2   | n.d.          | • No effects [10]   |
| 2.5  | n.d.          | • Impairments to perception [1]   |
| 2–6  | n.d.          | • Tachypnea[10]   |
| ≥3   | n.d.          | • Hypercapnia/respiratory acidosis [2, 3], resp. distress [2]   |
| 3–5  | n.d.          | • Stimulates the respiratory centre via chemoreceptors [2, 3]   |
| 4–7 (approx.)  | n.d.          | • Stimulus of respiratory centre, elevated pulse, disturbed blood circulation in the brain, giddiness, nausea, buzzing in the ears [24] |
| >5   | n.d.          | • Narcosis [2, 3]   |
| 6  | 6–8 min       | • Changes in ECG (older persons (aged approx. 60) more affected than younger individuals (aged 23)) [4]                                 |
| 8–10 (approx.)   | n.d.          | • Symptoms worsen at approx. 4–7 % vol. (see above), convulsions, unconsciousness with death following soon after [24]                  |
| 10   | n.d.          | • Unconsciousness [23]<br>• Potentially fatal [23]<br>• Weakness, tinnitus, increased sensitivity to pain [2]                           |
| >10  | n.d.          | • Headache, sweating<br>• Fatal consequences [3]<br>• Rapidly leads to death [24]   |
|  | 10–20 min     | • Loss of consciousness [4]   |
| 10–30  | n.d.          | • Weakening of visual perception, sensitivity to light, nystagmus, weakening of auditory perception, vomiting [10]                      |
| >17  | 20–52 sec     | • Unconsciousness, dizziness, blurred vision, irritation to the throat [4]  |
| >20  | 1 min         | • Unconsciousness, convulsions [4]  |
| ≥20  | A few minutes | • Death is likely [10]  |
| 25   | n.d.          | • Palpitations, convulsions [2]   |
| ≥30  | Immediate     | • Unconsciousness and rapid death [10]  |
| Continuous and permanent exposure to elevated levels of CO <sub>2</sub>                          | Several days  | • Declined blood levels of calcium and inorganic phosphate [4]<br>• Accumulation of carbonate in bone tissue/matrix [2-4].              |
| 0.7 to 1.2   | 26 days       | • Significant drop in performance when testing visual motor skills [22]   |

n.d. = no data

### 3 The legal situation

German occupational safety legislation defines an occupational exposure limit of 5000 ml/m<sup>3</sup> (ppm) or 9100 mg/m<sup>3</sup> (TRGS 900 [25]). This is equivalent to a permitted concentration of CO<sub>2</sub> in the workplace of 0.5 percent. This concentration is roughly 12.5x the level of CO<sub>2</sub> found in normal inhaled air (0.04%).

The European Agreement Concerning the International Carriage of Dangerous Goods by Road (ADR) contains provisions that specify regulations for the classification, packaging, labelling and documentation of dangerous goods, for their handling during this conveyance and for the vehicles used to carry these goods. For dry ice (UN1845), the special provisions in ADR 5.5.3 are to be applied [26]. These provisions include requirements for instructing the employees involved, for the consignments (packaging, labelling), and for the documentation and vehicle markings. Since 2017, an identification requirement has also applied to all types of conveyance utilised for dry ice in road traffic, regardless of whether this material is carried as a coolant or

conditioning agent or as a consignment (to be labelled as 'CARBON DIOXIDE, SOLID', possibly with the suffix 'AS COOLANT'). Alongside this requirement to label individual shipments, a special warning notice must also be affixed to vehicles and containers without adequate ventilation.

Since 1 January 1999, private citizens have been exempt from dangerous goods legislation applying to road traffic. Accordingly, private citizens may convey dangerous goods if these are "packaged as appropriate for retail sale, and are intended for personal or household use, or for sport and leisure activities".

Carbon dioxide is listed in Annex IV of Regulation (EU) No 1907/2006 (REACH). In accordance with point (a) of Article 2(7) of the REACH Regulation, substances listed in Annex IV are exempted from Titles II (registration), V (downstream users) and VI (evaluation), "as sufficient information is known about these substances that they are considered to cause minimum risk because of their intrinsic properties".

The acute toxicity of dry ice or CO<sub>2</sub> is low in comparison with many other substances. According to Regulation (EU) No 1272/2008 (CLP), carbon dioxide is not classified as acute toxic, and shall only be labelled when it is marketed as a pressurised gas.

#### 4 Risk characterisation

Cases of poisoning from the CO<sub>2</sub> released by dry ice occur both in a professional and private context. Cases of severe or fatal poisonings are rare, however. The cases described in the literature occurred due to incorrect storage, transportation or use, or are the result of suicidal intent.

Related risks frequently arise in relation to the incorrect handling of dry ice together with a lack of information about safety or proper use. In the accident-related circumstances as described, a general risk of suffocation when handling dry ice is present for private consumers.

The specific risk of suffocation from the release of gaseous carbon dioxide by sublimation from dry ice can be defined on a case-by-case basis. To obtain a quantitative estimate of the risk, a number of factors must be considered:

- Quantity of dry ice: the larger the quantity, the larger the volume of CO<sub>2</sub> that can be released
- Size of room, ventilation: the smaller and less well-ventilated the room (e.g. bathroom, vehicle (and space taken up by cargo in vehicle)), the greater the concentration of CO<sub>2</sub> in the air
- Sublimation rate: high temperatures and good heat dissipation increase the rate of sublimation, resulting in the faster release of CO<sub>2</sub>—e.g. as a result of direct contact with warm water (fog effects in swimming pool)
- Conditions of the room, as well as individuals' physical size and posture: since CO<sub>2</sub> is heavier than air, CO<sub>2</sub> concentrations are higher near to the ground (basement, swimming pool, sitting/lying on the ground)
- Activity and number of individuals, initial concentration of CO<sub>2</sub> in the room
- Packaging: type, gas permeability, insulation

Accordingly, consumers should only use dry ice in smaller quantities—such as for the cooling of perishable goods, for example. Adequate ventilation of the storage facility and/or means of

transport (passenger vehicle) should be ensured, as well as good heat insulation, gas permeability for the freight container (danger of explosion) and insulated gloves/clothing while handling.

#### Further information on the subject of poisoning from the BfR website:

<https://www.bfr.bund.de/en/poisonings-10142.html>



BfR 'Opinions app'

## 5 References

1. UBA, *Gesundheitliche Bewertung von Kohlendioxid in der Innenraumluft*. Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz, 2008. **51**(11): p. 1358-1369.
2. Kurzweil, P., *Toxikologie und Gefahrstoffe - Gifte - Wirkungen - Arbeitssicherheit*. 1. Auflage ed. 2013: Europa Lehrmittel.
3. Reichl, F.-X., *Taschenatlas der Toxikologie*. 3. Auflage ed. 2009: Thieme Verlag
4. MAK, *Kohlendioxid [MAK Value Documentation in German language, 2002]*, in *The MAK-Collection for Occupational Health and Safety*. 2002. p. 1-1.
5. Giesecke, J., et al., *Death by dry ice*. Rechtsmedizin, 2017. **27**(6): p. 536-541.
6. Permentier, K., et al., *Carbon dioxide poisoning: A literature review of an often forgotten cause of intoxication in the emergency department*. International Journal of Emergency Medicine, 2017. **10**(1): p. 14.
7. Bundschuh, M. and A. Gerber, *Trockeneis: Ein aktuelles Unfallgeschehen aufgrund unsachgemäßen Umgangs mit CO<sub>2</sub>*. Zentralblatt für Arbeitsmedizin, Arbeitsschutz und Ergonomie, 2013. **63**(6): p. 348-349.
8. Bucher, G. *Der mysteriöse Trockeneis-Tod des Star-Gastronoms*. Welt, 2013. <https://www.welt.de/vermischtes/prominente/article117839645/Der-mysterioese-Trockeneis-Tod-des-Star-Gastronoms.html>.
9. Kettner, M., et al., *A fatal case of CO<sub>2</sub> intoxication in a fermentation tank*. Journal of Forensic Sciences, 2013. **58**(2): p. 556-558.
10. La Harpe, R., et al., *Fatality in a wine vat*. The American Journal of Forensic Medicine and Pathology, 2013. **34**(2): p. 119-121.
11. Rupp, W.R., et al., *Suicide by carbon dioxide*. Forensic Science International, 2013. **231**(1-3): p. e30-e32.
12. Nedelman, M. *Ice cream salesman's wife and mother suffocated by dry ice in car*. 2018. <https://edition.cnn.com/2018/08/01/health/dry-ice-death/index.html>.
13. U.S. News *Man delivering dry ice to McDonald's dies in chemical leak*. 2018. <https://www.usnews.com/news/best-states/minnesota/articles/2018-11-21/man-delivering-dry-ice-to-mcdonalds-dies-in-chemical-leak>.
14. Punja, M., *Carbon dioxide associated poisoning fatalities in the USA from 2000 to 2011*. Journal of Medical Toxicology, 2014. **10**(1): p. 90.
15. Srisont, S., T. Chirachariyavej, and A.V. Peonim, *A carbon dioxide fatality from dry ice*. Journal of Forensic Sciences, 2009. **54**(4): p. 961-962.



16. Downs, J.C., S.E. Conradi, and C.A. Nichols, *Suicide by environmental hypoxia (forced depletion of oxygen)*. The American Journal of Forensic Medicine and Pathology, 1994. **15**(3): p. 216-223.
17. Dunford, J.V., et al., *Asphyxiation due to dry ice in a walk-in freezer*. Journal of Emergency Medicine, 2009. **36**(4): p. 353-356.
18. Gill, J.R., S.F. Ely, and Z. Hua, *Environmental gas displacement: Three accidental deaths in the workplace*. The American Journal of Forensic Medicine and Pathology, 2002. **23**(1): p. 26-30.
19. Norimine, E., et al., *Suicide case of carbon dioxide poisoning using dry ice*. The Japanese Journal of Toxicology, 2009. **22**(2): p. 121-124.
20. Khokhlov, V.D., *[A case of fatal carbon dioxide gas poisoning]*. [Sudebno-meditsinskaja ekspertiza], 1996. **39**(2): p. 47-48.
21. Halpern, P., et al., *Exposure to extremely high concentrations of carbon dioxide: A clinical description of a mass casualty incident*. Annals of Emergency Medicine, 2004. **43**(2): p. 196-199.
22. Manzey, D. and B. Lorenz, *Joint NASA-ESA-DARA Study. Part three: effects of chronically elevated CO<sub>2</sub> on mental performance during 26 days of confinement*. Aviation, Space, and Environmental Medicine, 1998. **69**(5): p. 506-514.
23. OSHA *Potential carbon dioxide (CO<sub>2</sub>) asphyxiation hazard when filling stationary low pressure CO<sub>2</sub> supply systems*. OSHA Hazard Information Bulletins, 1996. [https://www.osha.gov/dts/hib/hib\\_data/hib19960605.html](https://www.osha.gov/dts/hib/hib_data/hib19960605.html).
24. LMU, *Verwendung von Trockeneis als Kühlmittel – UN1845*, L.-M.-U. München, Editor. 2018, Stabsstelle AuN: Munich, Germany. p. 1-5.
25. Bundesanstalt für Arbeitsschutz und Arbeitsmedizin *TRGS 900 Arbeitsplatzgrenzwerte*. Technische Regel für Gefahrstoffe, 2020. <https://www.baua.de/DE/Angebote/Rechtstexte-und-Technische-Regeln/Regelwerk/TRGS/TRGS-900.html>.
26. Bundesministerium für Verkehr und digitale Infrastruktur *Anlage zur Bekanntmachung der Neufassung der Anlagen A und B des Europäischen Übereinkommens vom 30. September 1957 über die internationale Beförderung gefährlicher Güter auf der Straße (ADR)*. 2019. [www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger\\_BGBI&jumpTo=bgbl219014\\_Anlageband.pdf](http://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger_BGBI&jumpTo=bgbl219014_Anlageband.pdf).

## About the BfR

The German Federal Institute for Risk Assessment (BfR) is a scientifically independent institution within the portfolio of the Federal Ministry of Food and Agriculture (BMEL) in Germany. It advises the German federal government and German federal states ("Laender") on questions of food, chemical and product safety. The BfR conducts its own research on topics that are closely linked to its assessment tasks.

*This text version is a translation of the original German text which is the only legally binding version.*