




BfR Corona **MONITOR**

15–16 March 2022




Current week



Concern about the impact of the novel coronavirus

To what extent are you personally concerned or not concerned about the impact of the novel coronavirus in the following areas of life? (Response scale: 1 'not concerned at all' to 5 'very concerned')




BfR-Corona-Monitor | 15–16 March 2022

Figures given in percentages Basis: 985–998 participants

Perceived level of information

How well do you feel informed about the following aspects of the novel coronavirus? (Response scale: 1 'not well informed at all' to 5 'very well informed')




BfR-Corona-Monitor | 15–16 March 2022

4

Figures given in percentages Basis: 987–999 participants

Evaluation of media coverage

How do you evaluate the overall media coverage of the novel coronavirus? (Response options: 'downplaying', 'appropriate', 'exaggerated')



BfR-Corona-Monitor | 15–16 March 2022


5

Figures given in percentages Basis: 958 participants



Appropriateness of the measures for containment

How do you evaluate the following measures to contain the spread of the novel coronavirus? (Response options: 'not appropriate', 'appropriate')




BfR-Corona-Monitor | 15–16 March 2022


6

Figures given in percentages Basis: 969–994 participants

Current protective measures of the participants

Which of the following measures have you taken within the past 2 weeks to protect yourself or others from the novel coronavirus? (multiple selection)





BfR-Corona-Monitor | 15–16 March 2022

7


95

Figures given in percentages Basis: 989 participants



Perceived controllability of the risk of infection

How sure are you that you can protect yourself from an infection with the novel coronavirus? (*Response scale: 1 'not sure at all' to 5 'very sure'*)




Figures given in percentages Basis: 996 participants



Behaviour of others

When dealing with other people, how important is it to you that they take measures to prevent a transmission of the novel coronavirus? (Response scale: 1 'not important at all' to 5 'very important')




BfR-Corona-Monitor | 15–16 March 2022

9

Figures given in percentages Basis: 991 participants

Perceived probability of an infection

How high or low do you estimate the probability of currently being infected with the novel coronavirus at the following locations? (Repsonse scale: 1 'very low' to 5 'very high')



BfR-Corona-Monitor | 15–16 March 2022

10

Figures given in percentages Basis: 944–996 participants




Over time



BfR-Corona-Monitor | 15–16 March 2022

Concern about the impact of the novel coronavirus

To what extent are you personally concerned or not concerned about the impact of the novel coronavirus in the following areas of life? (Response scale: 1 'not concerned at all' to 5 'very concerned') – Shown: response category '(very) concerned' (values 4 + 5)




BfR-Corona-Monitor | 15–16 March 2022

12

Figures given in percentages Basis: 977–1.035 participants

Perceived level of information

How well do you feel informed about the following aspects of the novel coronavirus? (Response scale: 1 'not well informed at all' to 5 'very well informed')




BfR-Corona-Monitor | 15–16 March 2022

13

Figures given in percentages Basis: 973–1.004 participants

Evaluation of media coverage

How do you evaluate the overall media coverage of the novel coronavirus? (Response options: 'downplaying', 'appropriate', 'exaggerated')



BfR-Corona-Monitor | 15–16 March 2022

14

Figures given in percentages Basis Mar–May 2020: 480–502 participants Basis from Jun 2020: 951–1.019 participants

Appropriateness of the measures for containment I

How do you evaluate the following measures to contain the spread of the novel coronavirus? (Response options: 'not appropriate', 'appropriate') – Shown: response category 'appropriate'



^a Wording was adapted to the current situation at the time

^b Measure was added to the questionnaire (again) at the time indicated


BfR-Corona-Monitor | 15–16 March 2022

15

Figures given in percentages Basis Mar–May 2020: 474–512 participants Basis from Jun 2020: 916–1.031 participants

Appropriateness of the measures for containment II

How do you evaluate the following measures to contain the spread of the novel coronavirus? (Response options: 'not appropriate', 'appropriate') – Shown: response category 'appropriate'



^a Wording was adapted to the current situation at the time

^b Measure was added to the questionnaire (again) at the time indicated

BfR-Corona-Monitor | 15–16 March 2022

16

Figures given in percentages Basis Mar–May 2020: 474–512 participants Basis from Jun 2020: 916–1.031 participants

Current protective measures of the participants I

Which of the following measures have you taken within the past 2 weeks to protect yourself or others from the novel coronavirus? (multiple selection)



BfR-Corona-Monitor | 15–16 March 2022

17

Figures given in percentages Basis: 960–1.016 participants

Current protective measures of the participants II

Which of the following measures have you taken within the past 2 weeks to protect yourself or others from the novel coronavirus? (multiple selection)



BfR-Corona-Monitor | 15–16 March 2022

18


Apr

Figures given in percentages Basis: 960–1.016 participants



Perceived controllability of the risk of infection

How sure are you that you can protect yourself from an infection with the novel coronavirus? (Response scale: 1 'not sure at all' to 5 'very sure')



BfR-Corona-Monitor | 15–16 March 2022


Figures given in percentages Basis Mar–May 2020: 492–514 participants Basis from Jun 2020: 971–1.017 participants

19



Behaviour of others

When dealing with other people, how important is it to you that they take measures to prevent a transmission of the novel coronavirus? (Response scale: 1 'not important at all' to 5 'very important')




BfR-Corona-Monitor | 15–16 March 2022

20

Figures given in percentages Basis: 991–1.003 participants

Perceived probability of an infection

How high or low do you estimate the probability of currently being infected with the novel coronavirus at the following locations? (Repsonse scale: 1 'very low' to 5 'very high') – Shown: response category '(very) high' (values 4 + 5)




BfR-Corona-Monitor | 15–16 March 2022

21

Figures given in percentages Basis: 917–1.014 participants




Age groups



BfR-Corona-Monitor | 15–16 March 2022

Concern about the impact of the novel coronavirus

To what extent are you personally concerned or not concerned about the impact of the novel coronavirus in the following areas of life? (Response scale: 1 'not concerned at all' to 5 'very concerned') – Shown: response category '(very) concerned' (values 4 + 5)




BfR-Corona-Monitor | 15–16 March 2022

23

Figures given in percentages Basis: 314–353 participants in corresponding age group

Perceived level of information

How well do you feel informed about the following aspects of the novel coronavirus? (Response scale: 1 'not well informed at all' to 5 'very well informed') – Shown: response category '(very) well' (values 4 + 5)



BfR-Corona-Monitor | 15–16 March 2022


24



Figures given in percentages Basis: 316–353 participants in corresponding age group

Evaluation of media coverage

How do you evaluate the overall media coverage of the novel coronavirus? (Response options: 'downplaying', 'appropriate', 'exaggerated')




BfR-Corona-Monitor | 15–16 March 2022

25

Figures given in percentages Basis: 303–337 participants in corresponding age group

Appropriateness of the measures for containment

How do you evaluate the following measures to contain the spread of the novel coronavirus? (Response options: 'not appropriate', 'appropriate') – Shown: response category 'appropriate'



BfR-Corona-Monitor | 15–16 March 2022


26



Figures given in percentages Basis: 308–353 participants in corresponding age group

Current protective measures of the participants

Which of the following measures have you taken within the past 2 weeks to protect yourself or others from the novel coronavirus? (multiple selection)



BfR-Corona-Monitor | 15–16 March 2022

27




Figures given in percentages Basis: 317–352 participants in corresponding age group



Perceived controllability of the risk of infection

How sure are you that you can protect yourself from an infection with the novel coronavirus? (Response scale: 1 'not sure at all' to 5 'very sure')



BfR-Corona-Monitor | 15–16 March 2022

28

Figures given in percentages Basis: 322–351 participants in corresponding age group



Behaviour of others

When dealing with other people, how important is it to you that they take measures to prevent a transmission of the novel coronavirus? (Response scale: 1 'not important at all' to 5 'very important')




BfR-Corona-Monitor | 15–16 March 2022

29

Basis: 316–354 participants in corresponding age group

Perceived probability of an infection

How high or low do you estimate the probability of currently being infected with the novel coronavirus at the following locations? (Response scale: 1 'very low' to 5 'very high') – Shown: response category '(very) high' (values 4 + 5)



BfR-Corona-Monitor | 15–16 March 2022

30

63 62

Figures given in percentages Basis: 274–354 participants in corresponding age group

Dates and sample sizes of the survey

24 Mar	510 participants	18–19 Aug	1.033 participants	16–17 Mar	1.012 participants	12–13 Oct	1.002 participants
31 Mar	500 participants	01–02 Sep	1.013 participants	30–31 Mar	1.008 participants	26–27 Oct	1.003 participants
07 Apr	510 participants	15–16 Sep	1.026 participants	13–14 Apr	1.007 participants	09–10 Nov	1.003 participants
14 Apr	515 participants	29–30 Sep	1.012 participants	27–28 Apr	1.024 participants	23–24 Nov	1.007 participants
21 Apr	505 participants	13–14 Oct	1.015 participants	11–12 May	1.023 participants	07–08 Dec	995 participants
28 Apr	503 participants	27–28 Oct	1.006 participants	25–26 May	1.006 participants	21-22 Dec	1.005 participants
05 May	504 participants	10–11 Nov	1.009 participants	08–09 Jun	1.010 participants	04–05 Jan	1.001 participants
12 May	510 participants	24–25 Nov	1.018 participants	22–23 Jun	1.005 participants	18–19 Jan	1.011 participants
19 May	509 participants	08–09 Dec	1.004 participants	06–08 Jul	1.002 participants	01–02 Feb	1.014 participants
26 May	510 participants	17–18 Dec	1.010 participants	20–21 Jul	1.012 participants	15–16 Feb	1.005 participants
09–10 Jun	1.015 participants	05–06 Jan	1.017 participants	03–04 Aug	1.007 participants	01–02 Mar	1.002 participants
23–24 Jun	1.037 participants	19–20 Jan	1.018 participants	17–18 Aug	1.010 participants	15–16 Mar	1.001 participants
07–08 Jul	1.011 participants	02–03 Feb	1.004 participants	31 Aug – 01 Sep	1.004 participants		
21–22 Jul	1.037 participants	16–17 Feb	997 participants	14–15 Sep	1.007 participants		
04–06 Aug	1.024 participants	02–03 Mar	1.014 participants	28–29 Sep	1.022 participants		

BfR-Corona-Monitor | 15–16 March 2022



How were the data collected?

Statistical population:	German-speaking population ages 14 years and over in private househ Federal Republic of Germany		
Sampling:	Samples drawn at random from land line and mobile telephone number include telephone numbers not listed in directories (in line with standard Association of German Market Research Institutes – ADM)		
Data weighting:	Data was weighted according to gender, education, age, employment, German federal state to guarantee representativeness		
Method:	Telephone interview (CATI omnibus survey, Dual Frame)		
Presentation of results:	All figures given in percentages, rounding differences are possible, or were included (response option 'don't know' was excluded from all ar		
Conducted by:	Kantar GmbH		

BfR-Corona-Monitor | 15–16 March 2022

holds in the

ers which can also ds set by the

size of city and

ly valid responses alyses)



About the BfR

The German Federal Institute for Risk Assessment, or BfR for short, is responsible for answering questions on all aspects of the health assessment of foods and feeds, consumer products and chemicals. Through its work, it makes a decisive contribution towards ensuring that food, products and the use of chemicals have become safer in Germany. The Institute's main tasks comprise the assessment of existing health risks and identification of new ones, the development of recommendations to limit risks and the transparent communication of this process.

This work results in the scientific advice given to political decision makers. To help with the strategic alignment of its risk communication, the BfR conducts its own research in the field of risk perception. The Institute is independent in its scientific assessments, research and communication. The BfR belongs to the portfolio of the Federal Ministry of Food and Agriculture (BMEL).



More information at: www.bfr.bund.de/en

COVID-19/coronavirus: > A-Z Index > C > COVID-19/corona

BfR-Corona-Monitor | 15–16 March 2022

Imprint BfR-Corona-Monitor | 15–16 March 2022

Publisher: German Federal Institute for Risk Assessment (BfR) Max-Dohrn-Straße 8–10 10589 Berlin bfr@bfr.bund.de www.bfr.bund.de/en

Photo: mathisworks/GettyImages

Use of the results published here is possible with mention of the source 'BfR-Corona-Monitor | 15–16 March 2022'.

This text version is a translation of the original German text, which is the only legally binding version.

German Federal Institute for Risk Assessment (BfR)

Max-Dohrn-Straße 8–10 10589 Berlin GERMANY

Phone +40 30 18412-0 Fax +49 30 18412-99099 bfr@bfr.bund.de www.bfr.bund.de/en

